




9024 LEVER ROW

FINAL ASSEMBLY GUIDE



9024 LEVER ROW SHIPS PARTIALLY
DISASSEMBLED. THIS GUIDE WILL
ILLUSTRATE FINAL ASSEMBLY AND
SETUP





REMOVE (QTY 4) 1/2"-13 X 4" BUTTON
HEAD SCREWS, WASHERS, AND NYLOCK
NUTS FROM FRAME

1/2"-13 THIN NYLOCK NUT

1/2" SAE WASHER

1/2"-13 THICK NYLOCK NUT


1/2" SAE WASHER

1/2"-13 X 4"L BUTTON HEAD

1/2"-13 X 4"L BUTTON HEAD

ORIGINAL
STRENGTH

POSITION REAR FRAME / FOOTPLATE
ASSEMBLY AS SHOWN




SECURE LOWER FRAME WITH (QTY 2)
1/2"-13 X 4"L BUTTON HEAD SCREWS,
WASHERS, AND THICK NYLOCK NUTS


ARGENTAL
STRENGTH


1/2"-13 THICK NYLOCK NUT

1/2" SAE WASHER

1/2"-13 X 4"L BUTTON HEAD SCREW







INSTALL RUBBER PADS ON
METAL FRAME FEET IF DESIRED

